## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((find\$3 or detect\$4 or determin\$5)near6 (blank or empty or nothing or unfilled or ("not" adj filled)))with (OTP or ((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:36
L2 .	5	((find\$3 or detect\$4 or determin\$5)near6 (blank or empty or nothing or unfilled or ("not" adj filled)))same (OTP or ((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:46
L3	997	((find\$3 or detect\$4 or determin\$5)near6 (blank or empty or nothing or unfilled or ("not" adj filled)))same (OTP or serial or((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))with serial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:49
L4	997	((find\$3 or detect\$4 or determin\$5)near6 (blank or empty or nothing or unfilled or ("not" adj filled)))same ((OTP or serial or((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))with serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/18 12:07
L5	9	I3 same ((stor\$4 or writ\$4 or program\$4)near3(identification or id))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:51
L6	5	((program\$4 or writ\$4 or stor\$4 or sav\$4)near4 (id or identification))with ((OTP or((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))with serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:43

## **EAST Search History**

L7	0	((program\$4 or writ\$4 or stor\$4 or sav\$4)near4 (id or identification))with ((OTP or((programmable or configurable	US-PGPUB; USPAT; USOCR; FPRS;	OR .	ON	2007/01/18 12:43
		or flash or prom or eeprom or eprom)near2 (one adj time)))adj5 serial)	EPO; JPO; DERWENT; IBM_TDB			
L8		((program\$4 or writ\$4 or stor\$4 or sav\$4)near4 (id or identification))with ((OTP or((programmable or configurable or flash or prom or eeprom or eprom)near2 (one adj time)))near3 serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:43
L9	0	("6943560").URPN.	USPAT	OR	ON	2007/01/18 12:53
L10	5	("20020044006"   "5677917"   "6157210"   "6263295"   "6614703").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 12:53
L11	2	("5758056"   "6411561").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/18 13:00
L12	3	("6614703").URPN.	USPAT	OR	ON	2007/01/18 13:03